

Retail Food Inspection Report


Floyd County Health Department
Telephone (812) 948-4726

Establishment Name FLIPPIN' PANCAKES	Telephone Number Est (812) 941-0971 Own 812-914-1627	Date of Inspection 09/29/2020	ID#
Address 4320 CHARLESTOWN ROAD, NEW ALBANY IN 47150			
Owner SHANNON REARDON	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 10/13/2020	Released 09/29/2020
Owner's Address 4320 CHARLESTOWN ROAD NEW ALBANY, IN 47150-		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge PHIL BRADLEY			
Responsible Person's Email SHAYBOAT21@GMAIL.COM			
Certified Food Handler SHANON REARDON			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
303	X			Observed cups and plates that have not been used during the pandemic to have been stored as clean, but are in fact dirty and had not been properly washed, rinsed, sanitized	TODAY
443	X			Measured chlorine concentration in sanitizing bucket at 200+ ppm.	CORRECTED
448	X			Observed establishment installing bagged mice poison throughout cabinets and BOH. Establishments may not conduct their own "loose" poison efforts. Bait stations must be completely covered per manufacturer design.	TODAY
245		X		Observed sanitizing rag outside of sanitizing solution/allowed to dry.	CORRECTED
291		X		Observed establishment without quat. ammonia test strips (used for dishmachine).	2 WEEKS
297		X		Observed hard water build-up on tea/coffee filter bulbs.	CORRECTED
324		X		Observed foul odor throughout establishment floor drains after toilets are flushed. Find source and repair.	2 WEEKS

Summary of Violations C 3 NC 4 R 0

Received by (name and title printed): PHIL BRADLEY	Inspected by (name and title printed): A.J. Ingram CHIEF FOOD SPECIALIST
Received by (signature):	Inspected by (signature): 
cc:	cc: